

INDBYGNINGS TT

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
170x127	84"	INBTT170127UA-WF	INBTT170127UA-BB	INBTT170127UA-MP	INBTT170127UA-GC	INBTT170127UA-RP	192	15	212x23x23	22
183x137	90"	INBTT183137UA-WF	INBTT183137UA-BB	INBTT183137UA-MP	INBTT183137UA-GC	INBTT183137UA-RP	205	16	225x23x23	23
203x152	100"	INBTT203152UA-WF	INBTT203152UA-BB	INBTT203152UA-MP	INBTT203152UA-GC	INBTT203152UA-RP	225	18	245x23x23	25
213x160	105"	INBTT213160UA-WF	INBTT213160UA-BB	INBTT213160UA-MP	INBTT213160UA-GC	INBTT213160UA-RP	235	20	255x23x23	27
223x167	109"	INBTT223167UA-WF	INBTT223167UA-BB	INBTT223167UA-MP	INBTT223167UA-GC	INBTT223167UA-RP	245	21	265x23x23	29
244x183	120"	INBTT244183UA-WF	INBTT244183UA-BB	INBTT244183UA-MP	INBTT244183UA-GC	INBTT244183UA-RP	266	22	286x23x23	30
274x206	135"	INBTT274206UA-WF	INBTT274206UA-BB	INBTT274206UA-MP	INBTT274206UA-GC	INBTT274206UA-RP	296	25	316x23x23	33
305x229	150"	INBTT305229UA-WF	INBTT305229UA-BB	INBTT305229UA-MP	INBTT305229UA-GC	INBTT305229UA-RP	327	27	347x23x23	35
335x251	165"	INBTT335251UA-WF	INBTT335251UA-BB	INBTT335251UA-MP	INBTT335251UA-GC	INBTT335251UA-RP	357	30	377x23x23	39
366x274	180"	INBTT366274UA-WF	INBTT366274UA-BB	INBTT366274UA-MP	INBTT366274UA-GC	INBTT366274UA-RP	388	32	408x23x23	41
406x305	200"	INBTT406305UA-WF	INBTT406305UA-BB	INBTT406305UA-MP	INBTT406305UA-GC	INBTT406305UA-RP	428	36	448x23x23	45

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
170x127	84"	INBTT170127MA-WF	INBTT170127MA-BB	INBTT170127MA-MP	INBTT170127MA-GC	INBTT170127MA-RP	202	16	222x23x23	23
183x137	90"	INBTT183137MA-WF	INBTT183137MA-BB	INBTT183137MA-MP	INBTT183137MA-GC	INBTT183137MA-RP	215	17	235x23x23	24
203x152	100"	INBTT203152MA-WF	INBTT203152MA-BB	INBTT203152MA-MP	INBTT203152MA-GC	INBTT203152MA-RP	235	19	255x23x23	26
213x160	105"	INBTT213160MA-WF	INBTT213160MA-BB	INBTT213160MA-MP	INBTT213160MA-GC	INBTT213160MA-RP	245	20	265x23x23	27
223x167	109"	INBTT223167MA-WF	INBTT223167MA-BB	INBTT223167MA-MP	INBTT223167MA-GC	INBTT223167MA-RP	255	21	275x23x23	29
244x183	120"	INBTT244183MA-WF	INBTT244183MA-BB	INBTT244183MA-MP	INBTT244183MA-GC	INBTT244183MA-RP	276	23	296x23x23	31
274x206	135"	INBTT274206MA-WF	INBTT274206MA-BB	INBTT274206MA-MP	INBTT274206MA-GC	INBTT274206MA-RP	306	25	326x23x23	33
305x229	150"	INBTT305229MA-WF	INBTT305229MA-BB	INBTT305229MA-MP	INBTT305229MA-GC	INBTT305229MA-RP	337	28	357x23x23	36
335x251	165"	INBTT335251MA-WF	INBTT335251MA-BB	INBTT335251MA-MP	INBTT335251MA-GC	INBTT335251MA-RP	367	31	387x23x23	40
366x274	180"	INBTT366274MA-WF	INBTT366274MA-BB	INBTT366274MA-MP	INBTT366274MA-GC	INBTT366274MA-RP	398	33	418x23x23	42
406x305	200"	INBTT406305MA-WF	INBTT406305MA-BB	INBTT406305MA-MP	INBTT406305MA-GC	INBTT406305MA-RP	438	39	458x23x23	48

INDBYGNINGS TT

16:10 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret	Grey contrast	Bagdug	cm	kg	cm	kg
170x106	79"	INBTT170106UA-WF	INBTT170106UA-BB	INBTT170106UA-MP	INBTT170106UA-GC	INBTT170106UA-RP	192	15	212x23x23	22
183x114	85"	INBTT183114UA-WF	INBTT183114UA-BB	INBTT183114UA-MP	INBTT183114UA-GC	INBTT183114UA-RP	205	16	225x23x23	23
203x127	094"	INBTT203127UA-WF	INBTT203127UA-BB	INBTT203127UA-MP	INBTT203127UA-GC	INBTT203127UA-RP	225	18	245x23x23	25
213x133	099"	INBTT213133UA-WF	INBTT213133UA-BB	INBTT213133UA-MP	INBTT213133UA-GC	INBTT213133UA-RP	235	20	255x23x23	27
223x139	104"	INBTT223139UA-WF	INBTT223139UA-BB	INBTT223139UA-MP	INBTT223139UA-GC	INBTT223139UA-RP	245	21	265x23x23	29
244x153	113"	INBTT244153UA-WF	INBTT244153UA-BB	INBTT244153UA-MP	INBTT244153UA-GC	INBTT244153UA-RP	266	22	286x23x23	30
274x171	127"	INBTT274171UA-WF	INBTT274171UA-BB	INBTT274171UA-MP	INBTT274171UA-GC	INBTT274171UA-RP	296	25	316x23x23	33
305x191	142"	INBTT305191UA-WF	INBTT305191UA-BB	INBTT305191UA-MP	INBTT305191UA-GC	INBTT305191UA-RP	327	27	347x23x23	35
335x209	156"	INBTT335209UA-WF	INBTT335209UA-BB	INBTT335209UA-MP	INBTT335209UA-GC	INBTT335209UA-RP	357	30	377x23x23	39
366x229	170"	INBTT366229UA-WF	INBTT366229UA-BB	INBTT366229UA-MP	INBTT366229UA-GC	INBTT366229UA-RP	388	32	408x23x23	41
406x254	188"	INBTT406254UA-WF	INBTT406254UA-BB	INBTT406254UA-MP	INBTT406254UA-GC	INBTT406254UA-RP	428	36	448x23x23	45

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret	Grey contrast	Bagdug	cm	kg	cm	kg
170x106	79"	INBTT170106MA-WF	INBTT170106MA-BB	INBTT170106MA-MP	INBTT170106MA-GC	INBTT170106MA-RP	202	16	222x23x23	23
183x114	85"	INBTT183114MA-WF	INBTT183114MA-BB	INBTT183114MA-MP	INBTT183114MA-GC	INBTT183114MA-RP	215	17	235x23x23	24
203x127	94"	INBTT203127MA-WF	INBTT203127MA-BB	INBTT203127MA-MP	INBTT203127MA-GC	INBTT203127MA-RP	235	19	255x23x23	26
213x133	99"	INBTT213133MA-WF	INBTT213133MA-BB	INBTT213133MA-MP	INBTT213133MA-GC	INBTT213133MA-RP	245	20	265x23x23	27
223x139	104"	INBTT223139MA-WF	INBTT223139MA-BB	INBTT223139MA-MP	INBTT223139MA-GC	INBTT223139MA-RP	255	21	275x23x23	29
244x153	113"	INBTT244153MA-WF	INBTT244153MA-BB	INBTT244153MA-MP	INBTT244153MA-GC	INBTT244153MA-RP	276	23	296x23x23	31
274x171	127"	INBTT274171MA-WF	INBTT274171MA-BB	INBTT274171MA-MP	INBTT274171MA-GC	INBTT274171MA-RP	306	25	326x23x23	33
305x191	142"	INBTT305191MA-WF	INBTT305191MA-BB	INBTT305191MA-MP	INBTT305191MA-GC	INBTT305191MA-RP	337	28	357x23x23	36
335x209	156"	INBTT335209MA-WF	INBTT335209MA-BB	INBTT335209MA-MP	INBTT335209MA-GC	INBTT335209MA-RP	367	31	387x23x23	40
366x229	170"	INBTT366229MA-WF	INBTT366229MA-BB	INBTT366229MA-MP	INBTT366229MA-GC	INBTT366229MA-RP	398	33	418x23x23	42
406x254	188"	INBTT406254MA-WF	INBTT406254MA-BB	INBTT406254MA-MP	INBTT406254MA-GC	INBTT406254MA-RP	438	39	458x23x23	48

INDBYGNINGS TT

16:9 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
170x96	77"	INBTT170096UA-WF	INBTT170096UA-BB	INBTT170096UA-MP	INBTT170096UA-GC	INBTT170096UA-RP	192	15	212x23x23	22
183x103	83"	INBTT183103UA-WF	INBTT183103UA-BB	INBTT183103UA-MP	INBTT183103UA-GC	INBTT183103UA-RP	205	16	225x23x23	23
203x114	92"	INBTT203114UA-WF	INBTT203114UA-BB	INBTT203114UA-MP	INBTT203114UA-GC	INBTT203114UA-RP	225	18	245x23x23	25
213x120	96"	INBTT213120UA-WF	INBTT213120UA-BB	INBTT213120UA-MP	INBTT213120UA-GC	INBTT213120UA-RP	235	20	255x23x23	27
223x125	101"	INBTT223125UA-WF	INBTT223125UA-BB	INBTT223125UA-MP	INBTT223125UA-GC	INBTT223125UA-RP	245	21	265x23x23	29
244x137	110"	INBTT244137UA-WF	INBTT244137UA-BB	INBTT244137UA-MP	INBTT244137UA-GC	INBTT244137UA-RP	266	22	286x23x23	30
274x154	124"	INBTT274154UA-WF	INBTT274154UA-BB	INBTT274154UA-MP	INBTT274154UA-GC	INBTT274154UA-RP	296	25	316x23x23	33
305x172	138"	INBTT305172UA-WF	INBTT305172UA-BB	INBTT305172UA-MP	INBTT305172UA-GC	INBTT305172UA-RP	327	27	347x23x23	35
335x189	151"	INBTT335189UA-WF	INBTT335189UA-BB	INBTT335189UA-MP	INBTT335189UA-GC	INBTT335189UA-RP	357	30	377x23x23	39
366x206	165"	INBTT366206UA-WF	INBTT366206UA-BB	INBTT366206UA-MP	INBTT366206UA-GC	INBTT366206UA-RP	388	32	408x23x23	41
406x228	183"	INBTT406228UA-WF	INBTT406228UA-BB	INBTT406228UA-MP	INBTT406228UA-GC	INBTT406228UA-RP	428	36	448x23x23	45

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
170x96	77"	INBTT170096MA-WF	INBTT170096MA-BB	INBTT170096MA-MP	INBTT170096MA-GC	INBTT170096MA-RP	202	16	222x23x23	23
183x103	83"	INBTT183103MA-WF	INBTT183103MA-BB	INBTT183103MA-MP	INBTT183103MA-GC	INBTT183103MA-RP	215	17	235x23x23	24
203x114	92"	INBTT203114MA-WF	INBTT203114MA-BB	INBTT203114MA-MP	INBTT203114MA-GC	INBTT203114MA-RP	235	19	255x23x23	26
213x120	96"	INBTT213120MA-WF	INBTT213120MA-BB	INBTT213120MA-MP	INBTT213120MA-GC	INBTT213120MA-RP	245	20	265x23x23	27
223x125	101"	INBTT223125MA-WF	INBTT223125MA-BB	INBTT223125MA-MP	INBTT223125MA-GC	INBTT223125MA-RP	255	21	275x23x23	29
244x137	110"	INBTT244137MA-WF	INBTT244137MA-BB	INBTT244137MA-MP	INBTT244137MA-GC	INBTT244137MA-RP	276	23	296x23x23	31
274x154	124"	INBTT274154MA-WF	INBTT274154MA-BB	INBTT274154MA-MP	INBTT274154MA-GC	INBTT274154MA-RP	306	25	326x23x23	33
305x172	138"	INBTT305172MA-WF	INBTT305172MA-BB	INBTT305172MA-MP	INBTT305172MA-GC	INBTT305172MA-RP	337	28	357x23x23	36
335x189	151"	INBTT335189MA-WF	INBTT335189MA-BB	INBTT335189MA-MP	INBTT335189MA-GC	INBTT335189MA-RP	367	31	387x23x23	40
366x206	165"	INBTT366206MA-WF	INBTT366206MA-BB	INBTT366206MA-MP	INBTT366206MA-GC	INBTT366206MA-RP	398	33	418x23x23	42
406x228	183"	INBTT406228MA-WF	INBTT406228MA-BB	INBTT406228MA-MP	INBTT406228MA-GC	INBTT406228MA-RP	438	39	458x23x23	48

INDBYGNINGS L TT

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 277	182°	INBLTT370277UA-WF	INBLTT370277UA-BB	INBLTT370277UA-MP	-	INBLTT370277UA-RP	407	77	430x28x34	109
420 x 315	207°	INBLTT420315UA-WF	INBLTT420315UA-BB	INBLTT420315UA-MP	-	INBLTT420315UA-RP	457	86	480x28x34	121
470 x 352	231°	INBLTT470352UA-WF	INBLTT470352UA-BB	INBLTT470352UA-MP	-	INBLTT470352UA-RP	507	96	530x28x34	134
520 x 390	256°	INBLTT520390UA-WF	INBLTT520390UA-BB	INBLTT520390UA-MP	-	INBLTT520390UA-RP	557	105	580x28x34	146
570 x 427	280°	INBLTT570427UA-WF	INBLTT570427UA-BB	INBLTT570427UA-MP	-	INBLTT570427UA-RP	607	114	630x28x34	158
620 x 465	305°	INBLTT620465UA-WF	INBLTT620465UA-BB	INBLTT620465UA-MP	-	INBLTT620465UA-RP	657	124	680x28x34	171

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 277	182°	INBLTT370277MA-WF	INBLTT370277MA-BB	INBLTT370277MA-MP	-	INBLTT370277MA-RP	427	80	450x28x34	114
420 x 315	207°	INBLTT420315MA-WF	INBLTT420315MA-BB	INBLTT420315MA-MP	-	INBLTT420315MA-RP	477	90	500x28x34	127
470 x 352	231°	INBLTT470352MA-WF	INBLTT470352MA-BB	INBLTT470352MA-MP	-	INBLTT470352MA-RP	527	100	550x28x34	139
520 x 390	256°	INBLTT520390MA-WF	INBLTT520390MA-BB	INBLTT520390MA-MP	-	INBLTT520390MA-RP	577	110	600x28x34	152
570 x 427	280°	INBLTT570427MA-WF	INBLTT570427MA-BB	INBLTT570427MA-MP	-	INBLTT570427MA-RP	627	118	650x28x34	164
620 x 465	305°	INBLTT620465MA-WF	INBLTT620465MA-BB	INBLTT620465MA-MP	-	INBLTT620465MA-RP	677	127	700x28x34	176

INDBYGNINGS L TT

16:10 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 231	172"	INBLTT370231UA-WF	INBLTT370231UA-BB	INBLTT370231UA-MP		INBLTT370231UA-RP	407	77	430x28x34	109
420 x 262	195"	INBLTT420262UA-WF	INBLTT420262UA-BB	INBLTT420262UA-MP		INBLTT420262UA-RP	457	86	480x28x34	121
470 x 294	218"	INBLTT470294UA-WF	INBLTT470294UA-BB	INBLTT470294UA-MP		INBLTT470294UA-RP	507	96	530x28x34	134
520 x 325	241"	INBLTT520325UA-WF	INBLTT520325UA-BB	INBLTT520325UA-MP		INBLTT520325UA-RP	557	105	580x28x34	146
570 x 356	267"	INBLTT570356UA-WF	INBLTT570356UA-BB	INBLTT570356UA-MP		INBLTT570356UA-RP	607	114	630x28x34	158
620 x 388	289"	INBLTT620388UA-WF	INBLTT620388UA-BB	INBLTT620388UA-MP		INBLTT620388UA-RP	657	124	680x28x34	171
670 x 419	311"	INBLTT670419UA-WF	INBLTT670419UA-BB	INBLTT670419UA-MP		INBLTT670419UA-RP	699	119	736x28x33	181

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 231	172"	INBLTT370231MA-WF	INBLTT370231MA-BB	INBLTT370231MA-MP		INBLTT370231MA-RP	427	80	450x28x34	114
420 x 262	195"	INBLTT420262MA-WF	INBLTT420262MA-BB	INBLTT420262MA-MP		INBLTT420262MA-RP	477	90	500x28x34	127
470 x 294	218"	INBLTT470294MA-WF	INBLTT470294MA-BB	INBLTT470294MA-MP		INBLTT470294MA-RP	527	100	550x28x34	139
520 x 325	241"	INBLTT520325MA-WF	INBLTT520325MA-BB	INBLTT520325MA-MP		INBLTT520325MA-RP	577	110	600x28x34	152
570 x 356	267"	INBLTT570356MA-WF	INBLTT570356MA-BB	INBLTT570356MA-MP		INBLTT570356MA-RP	627	118	650x28x34	164
620 x 388	289"	INBLTT620388MA-WF	INBLTT620388MA-BB	INBLTT620388MA-MP		INBLTT620388MA-RP	677	127	700x28x34	176
670 x 419	311"	INBLTT370419MA-WF	INBLTT670419MA-BB	INBLTT670419MA-MP		INBLTT670419MA-RP	727	135	750x28x34	187

INDBYGNINGS L TT

16:9 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 208	167°	INBLTT370208UA-WF	INBLTT370208UA-BB	INBLTT370208UA-MP	-	INBLTT370208UA-RP	407	77	430x28x34	109
420 x 236	190°	INBLTT420236UA-WF	INBLTT420236UA-BB	INBLTT420236UA-MP	-	INBLTT420236UA-RP	457	86	480x28x34	121
470 x 264	212°	INBLTT470264UA-WF	INBLTT470264UA-BB	INBLTT470264UA-MP	-	INBLTT470264UA-RP	507	96	530x28x34	134
520 x 292	235°	INBLTT520292UA-WF	INBLTT520292UA-BB	INBLTT520292UA-MP	-	INBLTT520292UA-RP	557	105	580x28x34	146
570 x 320	256°	INBLTT570320UA-WF	INBLTT570320UA-BB	INBLTT570320UA-MP	-	INBLTT570320UA-RP	607	114	630x28x34	158
620 x 349	280°	INBLTT620349UA-WF	INBLTT620349UA-BB	INBLTT620349UA-MP	-	INBLTT620349UA-RP	657	124	680x28x34	171
670 x 377	302°	INBLTT670377UA-WF	INBLTT670377UA-BB	INBLTT670377UA-MP	-	INBLTT670377UA-RP	699	119	736x28x33	181

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
370 x 208	167°	INBLTT370208MA-WF	INBLTT370208MA-BB	INBLTT370208MA-MP	-	INBLTT370208MA-RP	427	80	450x28x34	114
420 x 236	190°	INBLTT420236MA-WF	INBLTT420236MA-BB	INBLTT420236MA-MP	-	INBLTT420236MA-RP	477	90	500x28x34	127
470 x 264	212°	INBLTT470264MA-WF	INBLTT470264MA-BB	INBLTT470264MA-MP	-	INBLTT470264MA-RP	527	100	550x28x34	139
520 x 292	235°	INBLTT520292MA-WF	INBLTT520292MA-BB	INBLTT520292MA-MP	-	INBLTT520292MA-RP	577	110	600x28x34	152
570 x 320	256°	INBLTT570320MA-WF	INBLTT570320MA-BB	INBLTT570320MA-MP	-	INBLTT570320MA-RP	627	118	650x28x34	164
620 x 349	280°	INBLTT620349MA-WF	INBLTT620349MA-BB	INBLTT620349MA-MP	-	INBLTT620349MA-RP	677	127	700x28x34	176
670 x 377	302°	INBLTT670377MA-WF	INBLTT670377MA-BB	INBLTT670377MA-MP	-	INBLTT670377MA-RP	715	123	752x28x33	186

INDBYGNINGS XL TT

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret		Bagdug	cm	kg	cm	kg
650 x 488	320"	INBXLTT650488UA-WF	INBXLTT650488UA-BB	INBXLTT650488UA-MP	.	INBXLTT650488UA-RP	687	144	710x33x40	206
700 x 525	345"	INBXLTT700525UA-WF	INBXLTT700525UA-BB	INBXLTT700525UA-MP	.	INBXLTT700525UA-RP	737	158	760x33x40	223
750 x 562	369"	INBXLTT750562UA-WF	INBXLTT750562UA-BB	INBXLTT750562UA-MP	.	INBXLTT750562UA-RP	787	172	810x33x40	240
800 x 600	394"	INBXLTT800600UA-WF	INBXLTT800600UA-BB	INBXLTT800600UA-MP	-	INBXLTT800600UA-RP	837	184	860x33x40	257

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret		Bagdug	cm	kg	cm	kg
620 x 465	320"	INBXLTT620465MA-WF	INBXLTT620465MA-BB	INBXLTT620465MA-MP	-	INBXLTT620465MA-RP	677	152	700x33x40	200
670 x 502	330"	INBXLTT670502MA-WF	INBXLTT670502MA-BB	INBXLTT670502MA-MP	-	INBXLTT670502MA-RP	727	156	750x33x40	219
720 x 540	355"	INBXLTT720540MA-WF	INBXLTT720540MA-BB	INBXLTT720540MA-MP	-	INBXLTT720540MA-RP	777	170	800x33x40	237
770 x 577	379"	INBXLTT770577MA-WF	INBXLTT770577MA-BB	INBXLTT770577MA-MP	-	INBXLTT770577MA-RP	827	182	850x33x40	253

INDBYGNINGS XL TT

16:10 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
650 x 406	302"	INBXLTT650406UA-WF	INBXLTT650406UA-BB	INBXLTT650406UA-MP	-	INBXLTT650406UA-RP	687	146	710x33x40	206
700 x 437	325"	INBXLTT700437UA-WF	INBXLTT700437UA-BB	INBXLTT700437UA-MP	-	INBXLTT700437UA-RP	737	158	760x33x40	223
750 x 469	348"	INBXLTT750469UA-WF	INBXLTT750469UA-BB	INBXLTT750469UA-MP	-	INBXLTT750469UA-RP	787	172	810x33x40	240
800 x 500	372"	INBXLTT800500UA-WF	INBXLTT800500UA-BB	INBXLTT800500UA-MP	-	INBXLTT800500UA-RP	837	184	860x33x40	257
840 x 531	392"	INBXLTT840531UA-WF	INBXLTT840531UA-BB	INBXLTT840531UA-MP	-	INBXLTT840531UA-RP	887	197	910x33x40	274

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
620 x 388	288"	INBXLTT620388MA-WF	INBXLTT620388MA-BB	INBXLTT620388MA-MP	-	INBXLTT620388MA-RP	677	143	700x33x40	205
670 x 418	311"	INBXLTT670418MA-WF	INBXLTT670418MA-BB	INBXLTT670418MA-MP	-	INBXLTT670418MA-RP	727	156	750x33x40	219
720 x 450	335"	INBXLTT720450MA-WF	INBXLTT720450MA-BB	INBXLTT720450MA-MP	-	INBXLTT720450MA-RP	777	170	800x33x40	237
770 x 481	358"	INBXLTT770481MA-WF	INBXLTT770481MA-BB	INBXLTT770481MA-MP	-	INBXLTT770481MA-RP	827	182	850x33x40	253
820 x 512	381"	INBXLTT820512MA-WF	INBXLTT820512MA-BB	INBXLTT820512MA-MP	-	INBXLTT820512MA-RP	877	195	900x33x40	269

16:9 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
650 x 366	294"	INBXLTT650366UA-WF	INBXLTT650366UA-BB	INBXLTT650366UA-MP	-	INBXLTT650366UA-RP	687	146	710x33x40	206
700 x 393	316"	INBXLTT700393UA-WF	INBXLTT700393UA-BB	INBXLTT700393UA-MP	-	INBXLTT700393UA-RP	737	158	760x33x40	223
750 x 422	339"	INBXLTT750422UA-WF	INBXLTT750422UA-BB	INBXLTT750422UA-MP	-	INBXLTT750422UA-RP	787	172	810x33x40	240
800 x 450	361"	INBXLTT800450UA-WF	INBXLTT800450UA-BB	INBXLTT800450UA-MP	-	INBXLTT800450UA-RP	837	184	860x33x40	257
840 x 478	381"	INBXLTT840478UA-WF	INBXLTT840478UA-BB	INBXLTT840478UA-MP	-	INBXLTT840478UA-RP	887	197	910x33x40	274

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
620 x 349	280"	INBXLTT620349MA-WF	INBXLTT620349MA-BB	INBXLTT620349MA-MP	-	INBXLTT620349MA-RP	677	143	700x33x40	205
670 x 377	311"	INBXLTT670377MA-WF	INBXLTT670377MA-BB	INBXLTT670377MA-MP	-	INBXLTT670377MA-RP	727	156	750x33x40	219
720 x 405	326"	INBXLTT720405MA-WF	INBXLTT720405MA-BB	INBXLTT720405MA-MP	-	INBXLTT720405MA-RP	777	170	800x33x40	237
770 x 433	348"	INBXLTT770433MA-WF	INBXLTT770433MA-BB	INBXLTT770433MA-MP	-	INBXLTT770433MA-RP	827	182	850x33x40	253
820 x 461	371"	INBXLTT820461MA-WF	INBXLTT820461MA-BB	INBXLTT820461MA-MP	-	INBXLTT820461MA-RP	877	195	900x33x40	269