

## Indbygningslærred

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret	Grey contrast	Bagdug	cm	kg	cm	kg
160x120	79"	INB160120UA-WF	INB160120UA-BB	INB160120UA-MP	INB160120UA-GC	INB160120UA-RP	176	16	196x21x21	20
180x135	89"	INB180135UA-WF	INB180135UA-BB	INB180135UA-MP	INB180135UA-GC	INB180135UA-RP	196	18	216x21x21	23
200x150	98"	INB200150UA-WF	INB200150UA-BB	INB200150UA-MP	INB200150UA-GC	INB200150UA-RP	216	20	216x21x21	25
225x168	111"	INB225168UA-WF	INB225168UA-BB	INB225168UA-MP	INB225168UA-GC	INB225168UA-RP	241	22	251x21x21	27
250x190	124"	INB250190UA-WF	INB250190UA-BB	INB250190UA-MP	INB250190UA-GC	INB250190UA-RP	266	25	286x21x21	30
300x225	148"	INB300225UA-WF	INB300225UA-BB	INB300225UA-MP	INB300225UA-GC	INB300225UA-RP	316	28	336x21x21	33
335x251	165"	INB335251UA-WF	INB335251UA-BB	INB335251UA-MP	INB335251UA-GC	INB335251UA-RP	351	29	371x21x21	35
350x263	172"	INB350263UA-WF	INB350263UA-BB	INB350263UA-MP	INB350263UA-GC	INB350263UA-RP	366	31	386x21x21	36
400x300	197"	INB400300UA-WF	INB400300UA-BB	INB400300UA-MP	INB400300UA-GC	INB400300UA-RP	416	35	436x21x21	40

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperoreret	Grey contrast	Bagdug	cm	kg	cm	kg
150x112	74"	INB150112MA-WF	INB150112MA-BB	INB150112MA-MP	INB150112MA-GC	INB150112MA-RP	175	13	195x23x23	20
180x127	84"	INB180127MA-WF	INB180127MA-BB	INB180127MA-MP	INB180127MA-GC	INB180127MA-RP	195	15	215x23x23	22
190x142	93"	INB190142MA-WF	INB190142MA-BB	INB190142MA-MP	INB190142MA-GC	INB190142MA-RP	215	17	235x23x23	24
215x161	106"	INB215161MA-WF	INB215161MA-BB	INB215161MA-MP	INB215161MA-GC	INB215161MA-RP	240	20	260x23x23	27
240x180	118"	INB240180MA-WF	INB240180MA-BB	INB240180MA-MP	INB240180MA-GC	INB240180MA-RP	265	22	285x23x23	30
290x217	143"	INB290217MA-WF	INB290217MA-BB	INB290217MA-MP	INB290217MA-GC	INB290217MA-RP	315	26	335x23x23	34
325x244	160"	INB325244MA-WF	INB325244MA-BB	INB325244MA-MP	INB325244MA-GC	INB325244MA-RP	350	29	370x23x23	37
340x255	167"	INB340255MA-WF	INB340255MA-BB	INB340255MA-MP	INB340255MA-GC	INB340255MA-RP	365	31	385x23x23	39
390x292	192"	INB390292MA-WF	INB390292MA-BB	INB390292MA-MP	INB390292MA-GC	INB390292MA-RP	415	35	435x23x23	44

## Indbygningslærred

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
150x84	68"	INB15084MA-WF	INB15084MA-BB	INB15084MA-MP	INB15084MA-GC	INB15084MA-RP	175	13	195x23x23	20
170x95	77"	INB17095MA-WF	INB17095MA-BB	INB17095MA-MP	INB17095MA-GC	INB17095MA-RP	195	15	215x23x23	22
190x106	86"	INB190106MA-WF	INB190106MA-BB	INB190106MA-MP	INB190106MA-GC	INB190106MA-RP	215	17	235x23x23	24
215x120	97"	INB215120MA-WF	INB215120MA-BB	INB215120MA-MP	INB215120MA-GC	INB215120MA-RP	240	20	260x23x23	27
240x135	108"	INB240135MA-WF	INB240135MA-BB	INB240135MA-MP	INB240135MA-GC	INB240135MA-RP	265	22	285x23x23	30
290x163	131"	INB290163MA-WF	INB290163MA-BB	INB290163MA-MP	INB290163MA-GC	INB290163MA-RP	315	26	335x23x23	34
325x183	147"	INB325183MA-WF	INB325183MA-BB	INB325183MA-MP	INB325183MA-GC	INB325183MA-RP	350	29	370x23x23	37
340x191	154"	INB340191MA-WF	INB340191MA-BB	INB340191MA-MP	INB340191MA-GC	INB340191MA-RP	365	31	385x23x23	39
390x219	176"	INB390219MA-WF	INB390219MA-BB	INB390219MA-MP	INB390219MA-GC	INB390219MA-RP	415	35	435x23x23	44

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret	Grey contrast	Bagdug	cm	kg	cm	kg
150x94	70"	INB15094MA-WF	INB15094MA-BB	INB15094MA-MP	INB15094MA-GC	INB15094MA-RP	175	13	195x23x23	20
170x106	79"	INB170106MA-WF	INB170106MA-BB	INB170106MA-MP	INB170106MA-GC	INB170106MA-RP	195	15	215x23x23	22
190x119	88"	INB190119MA-WF	INB190119MA-BB	INB190119MA-MP	INB190119MA-GC	INB190119MA-RP	215	17	235x23x23	24
215x134	100"	INB215134MA-WF	INB215134MA-BB	INB215134MA-MP	INB215134MA-GC	INB215134MA-RP	240	20	260x23x23	27
240x150	111"	INB240150MA-WF	INB240150MA-BB	INB240150MA-MP	INB240150MA-GC	INB240150MA-RP	265	22	285x23x23	30
290x181	135"	INB290181MA-WF	INB290181MA-BB	INB290181MA-MP	INB290181MA-GC	INB290181MA-RP	315	26	335x23x23	34
325x203	151"	INB325203MA-WF	INB325203MA-BB	INB325203MA-MP	INB325203MA-GC	INB325203MA-RP	350	29	370x23x23	37
340x213	158"	INB340213MA-WF	INB340213MA-BB	INB340213MA-MP	INB340213MA-GC	INB340213MA-RP	365	31	385x23x23	39
390x244	181"	INB390244MA-WF	INB390244MA-BB	INB390244MA-MP	INB390244MA-GC	INB390244MA-RP	415	35	435x23x23	44

## Indbygningslærred L

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
400 x 300	197"	INBL400300UA-WF	INBL400300UA-BB	INBL400300UA-MP	-	INBL400300UA-RP	427	80	450x28x34	114
450 x 337	221"	INBL450337UA-WF	INBL450337UA-BB	INBL450337UA-MP	-	INBL450337UA-RP	477	90	500x28x34	127
500 x 375	246"	INBL500375UA-WF	INBL500375UA-BB	INBL500375UA-MP	-	INBL500375UA-RP	527	100	550x28x34	139
550 x 412	271"	INBL550412UA-WF	INBL550412UA-BB	INBL550412UA-MP	-	INBL550412UA-RP	577	110	600x28x34	152
600 x 450	295"	INBL600450UA-WF	INBL600450UA-BB	INBL600450UA-MP	-	INBL600450UA-RP	627	118	650x28x34	164
650 x 487	320"	INBL650487UA-WF	INBL650487UA-BB	INBL650487UA-MP	-	INBL650487UA-RP	677	127	700x28x34	176

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
390 x 292	192"	INBL390292MA-WF	INBL390292MA-BB	INBL390292MA-MP	-	INBL390292MA-RP	427	80	450x28x34	114
440 x 330	217"	INBL440330MA-WF	INBL440330MA-BB	INBL440330MA-MP	-	INBL440330MA-RP	477	90	500x28x34	127
490 x 367	241"	INBL490367MA-WF	INBL490367MA-BB	INBL490367MA-MP	-	INBL490367MA-RP	527	100	550x28x34	139
540 x 405	266"	INBL540405MA-WF	INBL540405MA-BB	INBL540405MA-MP	-	INBL540405MA-RP	577	110	600x28x34	152
590 x 442	290"	INBL590442MA-WF	INBL590442MA-BB	INBL590442MA-MP	-	INBL590442MA-RP	627	118	650x28x34	164
640 x 480	315"	INBL640480MA-WF	INBL640480MA-BB	INBL640480MA-MP	-	INBL640480MA-RP	677	127	700x28x34	176

## Indbygningslærred L

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
390 x 244	181"	INBL390244MA-WF	INBL390244MA-BB	INBL390244MA-MP	-	INBL390244MA-RP	427	80	450x28x34	114
440 x 275	204"	INBL440275MA-WF	INBL440275MA-BB	INBL440275MA-MP	-	INBL440275MA-RP	477	90	500x28x34	127
490 x 306	227"	INBL490306MA-WF	INBL490306MA-BB	INBL490306MA-MP	-	INBL490306MA-RP	527	100	550x28x34	139
540 x 338	251"	INBL540338MA-WF	INBL540338MA-BB	INBL540338MA-MP	-	INBL540338MA-RP	577	110	600x28x34	152
590 x 369	274"	INBL590369MA-WF	INBL590369MA-BB	INBL590369MA-MP	-	INBL590369MA-RP	627	118	650x28x34	164
640 x 400	297"	INBL640400MA-WF	INBL640400MA-BB	INBL640400MA-MP	-	INBL640400MA-RP	677	127	700x28x34	176
690 x 431	320"	INBL690431MA-WF	INBL690431MA-BB	INBL690431MA-MP	-	INBL690431MA-RP	719	124	756x28x33	188

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
390 x 219	176"	INBL390219MA-WF	INBL390219MA-BB	INBL390219MA-MP	-	INBL390219MA-RP	427	80	450x28x34	114
440 x 247	199"	INBL440247MA-WF	INBL440247MA-BB	INBL440247MA-MP	-	INBL440247MA-RP	477	90	500x28x34	127
490 x 275	221"	INBL490275MA-WF	INBL490275MA-BB	INBL490275MA-MP	-	INBL490275MA-RP	527	100	550x28x34	139
540 x 303	244"	INBL540303MA-WF	INBL540303MA-BB	INBL540303MA-MP	-	INBL540303MA-RP	577	110	600x28x34	152
590 x 332	267"	INBL590332MA-WF	INBL590332MA-BB	INBL590332MA-MP	-	INBL590332MA-RP	627	118	650x28x34	164
640 x 360	289"	INBL640360MA-WF	INBL640360MA-BB	INBL640360MA-MP	-	INBL640360MA-RP	677	127	700x28x34	176
690 x 388	312"	INBL690388MA-WF	INBL690388MA-BB	INBL690388MA-MP	-	INBL690388MA-RP	719	124	756x28x33	188

2.35:1 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
390 x 166	167"	INBL390166MA-WF	INBL390166MA-BB	INBL390166MA-MP	-	INBL390166MA-RP	427	80	450x28x34	114
440 x 187	188"	INBL440187MA-WF	INBL440187MA-BB	INBL440187MA-MP	-	INBL440187MA-RP	477	90	500x28x34	127
490 x 208	210"	INBL490208MA-WF	INBL490208MA-BB	INBL490208MA-MP	-	INBL490208MA-RP	527	100	550x28x34	139
540 x 230	231"	INBL540230MA-WF	INBL540230MA-BB	INBL540230MA-MP	-	INBL540230MA-RP	577	110	600x28x34	152
590 x 251	252"	INBL590251MA-WF	INBL590251MA-BB	INBL590251MA-MP	-	INBL590251MA-RP	627	118	650x28x34	164
640 x 272	274"	INBL640272MA-WF	INBL640272MA-BB	INBL640272MA-MP	-	INBL640272MA-RP	677	127	700x28x34	176
690 x 294	295"	INBL690294MA-WF	INBL690294MA-BB	INBL690294MA-MP	-	INBL690294MA-RP	719	124	756x28x33	188

**Indbygningslærred XL**

4:3 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
650 x 488	320"	INBXL650488UA-WF	INBXL650488UA-BB	INBXL650488UA-MP	-	INBXL650488UA-RP	677	144	700x33x40	203
700 X 525	344"	INBXL700525UA-WF	INBXL700525UA-BB	INBXL700525UA-MP	-	INBXL700525UA-RP	727	156	750x33x40	219
750 x 562	369"	INBXL750562UA-WF	INBXL750562UA-BB	INBXL750562UA-MP	-	INBXL750562UA-RP	777	170	800x33x40	237
800 x 600	394"	INBXL800600UA-WF	INBXL800600UA-BB	INBXL800600UA-MP	-	INBXL800600UA-RP	827	182	850x33x40	253

4:3 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
640 x 480	315"	INBXL640480MA-WF	INBXL640480MA-BB	INBXL640480MA-MP	-	INBXL640480MA-RP	677	144	700x33x40	203
690 X 517	340"	INBXL690517MA-WF	INBXL690517MA-BB	INBXL690517MA-MP	-	INBXL690517MA-RP	727	156	750x33x40	219
740 X 555	364"	INBXL740555MA-WF	INBXL740555MA-BB	INBXL740555MA-MP	-	INBXL740555MA-RP	777	170	800x33x40	237
790 X 592	389"	INBXL790592MA-WF	INBXL790592MA-BB	INBXL790592MA-MP	-	INBXL790592MA-RP	827	182	850x33x40	253

## Indbygningslærred XL

16:9 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
650 x 366	294	INBXL650366UA-WF	INBXL650366UA-BB	INBXL650366UA-MP	.	INBXL650366UA-RP	677	155	700x33x40	203
700 x 393	316	INBXL700393UA-WF	INBXL700393UA-BB	INBXL700393UA-MP	-	INBXL700393UA-RP	727	156	750x33x40	219
750 x 422	339 <sup>o</sup>	INBXL750422UA-WF	INBXL750422UA-BB	INBXL750422UA-MP	-	INBXL750422UA-RP	777	170	800x33x40	237
800 x 450	361 <sup>o</sup>	INBXL800450UA-WF	INBXL800450UA-BB	INBXL800450UA-MP	-	INBXL800450UA-RP	827	182	850x33x40	253
850 x 478	384 <sup>o</sup>	INBXL850478UA-WF	INBXL850478UA-BB	INBXL850478UA-MP	-	INBXL850478UA-RP	877	195	900x33x40	269

16:9 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
640 x 360	289 <sup>o</sup>	INBXL640360MA-WF	INBXL640360MA-BB	INBXL640360MA-MP	-	INBXL640360MA-RP	677	155	700x33x40	203
690 x 388	312 <sup>o</sup>	INBXL690388MA-WF	INBXL690388MA-BB	INBXL690388MA-MP	-	INBXL690388MA-RP	727	156	750x33x40	219
740 X 416	334 <sup>o</sup>	INBXL740416MA-WF	INBXL740416MA-BB	INBXL740416MA-MP	-	INBXL740416MA-RP	777	170	800x33x40	237
790 X 444	357 <sup>o</sup>	INBXL790444MA-WF	INBXL790444MA-BB	INBXL790444MA-MP	-	INBXL790444MA-RP	827	182	850x33x40	253
840 X 472	379 <sup>o</sup>	INBXL840472MA-WF	INBXL840472MA-BB	INBXL840472MA-MP	-	INBXL840472MA-RP	877	195	900x33x40	269

16:10 uden afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
650 x 406	302	INBXL650406UA-WF	INBXL650406UA-BB	INBXL650406UA-MP	-	INBXL650406UA-RP	677	155	700x33x40	203
700 x 437	330 <sup>o</sup>	INBXL700437UA-WF	INBXL700437UA-BB	INBXL700437UA-MP	-	INBXL700437UA-RP	727	156	750x33x40	219
750 x 469	348 <sup>o</sup>	INBXL750469UA-WF	INBXL750469UA-BB	INBXL750469UA-MP	-	INBXL750469UA-RP	777	170	800x33x40	237
800 x 500	371 <sup>o</sup>	INBXL800500UA-WF	INBXL800500UA-BB	INBXL800500UA-MP	-	INBXL800500UA-RP	827	182	850x33x40	253
850 x 531	395 <sup>o</sup>	INBXL850531UA-WF	INBXL850531UA-BB	-	-	INBXL850531UA-RP	877	195	900x33x40	269

16:10 med afmaskning		Frontprojektion				Bagprojektion	Dim		Fragt	
B x H	D	White Flex	4K lystæt	Mikroperforeret		Bagdug	cm	kg	cm	kg
640 x 400	297 <sup>o</sup>	INBXL640400MA-WF	INBXL640400MA-BB	INBXL640400MA-MP	-	INBXL640400MA-RP	677	155	700x33x40	203
690 x 431	320 <sup>o</sup>	INBXL690431MA-WF	INBXL690431MA-BB	INBXL690431MA-MP	-	INBXL690431MA-RP	727	156	750x33x40	219
740 X 462	344 <sup>o</sup>	INBXL740462MA-WF	INBXL740462MA-BB	INBXL740462MA-MP	-	INBXL740462MA-RP	777	170	800x33x40	237
790 X 493	367 <sup>o</sup>	INBXL790493MA-WF	INBXL790493MA-BB	INBXL790493MA-MP	-	INBXL790493MA-RP	827	182	850x33x40	253
840 X 525	390 <sup>o</sup>	INBXL840525MA-WF	INBXL840525MA-BB	INBXL840525MA-MP	-	INBXL840525MA-RÅ	877	195	900x33x40	269